Waters™

アプリケーションノート

Chlorpromazine

Waters Corporation




This is an Application Brief and does not contain a detailed Experimental section.

Abstract

This application brief highlights the analysis of chlorpromazine by LC-MS using XTerra RP_{18} Columns.

Introduction

The compound analyzed in this study is chlorpromazine.



Chlorpromazine

Experimental

Conditions

Column: XTerra RP $_{18}$ 4.6 x 150 mm, 5 μm

Part number: 186000492

Mobile phase: pH 3.0: $H_2O/ACN/100$ mM NH_4COOH , pH 3.0

25:65:10

pH 7.0: $H_2O/ACN/100$ mM NH_4HCO_3 , pH 7.0

30:60:10

pH 10.0 H₂O/ACN/100 mM NH₄HCO₃, pH 10.0

20:70:10

Injection volume: $5 \mu L \text{ of } 250 \mu g/mL$ Temperature: $30 \, ^{\circ}C$ Detection: UV @ 270 nmInstrument: Alliance 2695, 2996 PDA

1.0 mL/min

Mobile Phase pH USP Tailing


3.0 1.29

7.0

10.0 1.14

Results and Discussion

Flow rate:



Featured Products

WA20738.023, June 2002

© 2021 Waters Corporation. All Rights Reserved.