


Application Note

# Methylnicotinic Acid

Waters Corporation




This is an Application Brief and does not contain a detailed Experimental section.

### Abstract

This application brief highlights the analysis of methylnicotinic acid using XTerra Columns.

## Introduction

The compound analyzed in this study is methylnicotinic acid.



# Methylnicotinic acid


## Experimental

#### Conditions

Column:	XTerra RP <sub>18</sub> 4.6 x 150 mm, 5 μm
Part number:	186000492
Mobile phase:	pH 3.0: H <sub>2</sub> O/ACN/100 mM NH <sub>4</sub> COOH, pH 3.0 85:05:10
	pH 7.0: H <sub>2</sub> O/ACN/100 mM NH <sub>4</sub> HCO <sub>3</sub> , pH 7.0 85:05:10
	pH 10.0 H <sub>2</sub> O/ACN/100 mM NH <sub>4</sub> HCO <sub>3</sub> , pH 10.0 90:0:10
Flow rate:	1.0 mL/min

Injection volume:		5 μL of 250 μg/mL
Temperature:		30 °C
Detection:		UV @ 254 nm
Instrument:		Alliance 2695, 2996 PDA
Mobile Phase pH	USP Tailing	
3.0	1.23	
7.0	1.25	
10.0	1.51	

Results and Discussion



#### Featured Products

Alliance HPLC System <https://www.waters.com/534293>

2998 Photodiode Array (PDA) Detector <a href="https://www.waters.com/1001362">https://www.waters.com/1001362</a>>

WA20738.070, June 2002

© 2021 Waters Corporation. All Rights Reserved.