

Application Note

# Pseudoephedrine HCL and Codeine

Waters Corporation



This is an Application Brief and does not contain a detailed Experimental section.


### Abstract

This application brief highlights the analysis of Pseudoephedrine HCL and Codeine using Symmetry Shield Columns.


### Introduction

The compounds analyzed in this study are:

- 1. Pseudoephedrine HCL
- 2. Codeine



1. Pseudoephedrine HCL



2. Codeine

Experimental

#### HPLC Method

Column:	SymmetryShield $\mathrm{RP}_8$ , 3.9 x 150 mm, 5 $\mu$ m	
Part number:	WAT200655	
Mobile phase A:	50 mM potassium phosphate, pH 7	
Mobile phase B:	Acetonitrile	
Flow rate:	1.0 mL/min	
Injection volume:	5 μL of 2 mg/mL pseudoephedrine and 0.2 mg/mL codeine	
Detection:	UV @ 2541 nm	

#### Gradient


Time	Profile	
(min)	%A	%B
0	85	15
15	50	50

### USP Tailing Factors

1. 1.8

2. 1.1

# Results and Discussion



## Featured Products

WA31763.139, June 2003

 $\ensuremath{\textcircled{\sc 0}}$  2021 Waters Corporation. All Rights Reserved.