Waters™

Application Note

Sulfa Drugs

Waters Corporation



This is an Application Brief and does not contain a detailed Experimental section.

Abstract

This application brief demonstrates analysis of sulfa drugs.

Introduction


The compounds used in this study are -

Compounds	USP Tailing Factors
Sulfanilamide	1.27
Sulfadiazine	1.19
Sulfathiazole	1.18
Sulfamerazine	1.15
Sulfamethazine	1.12
Succinylsulfathiazole	1.11

1. Sulfanilamide


2. Sulfadiazine

3. Sulfathiazole



4. Sulfamerazine

5. Sulfamethazine



6. Succinylsulfathiazole

Experimental

HPLC Method

Column: Symmetry C_8 , 3.9 x 150 mm, 5 μm

Guard column: Sentry Guard Column 3.9 x 20 mm, 5 µm

Part numbers: Column - WAT046970, Guard - WAT054250

Mobile phase: Water/methanol/glacial acetic acid 79:20:1


Flow rate:	1.0 mL/min
------------	------------

Injection volume: 10 μ L of sample with components at 10 to 39 μ

g/mL

Detection: UV @ 254 nm

Results and Discussion



WA31763.154	, June	2003
-------------	--------	------

© 2021 Waters Corporation. All Rights Reserved.