# Waters™

# Analysis of Mouthwash Using XBridge Shield RP18

Waters Corporation



This is an Application Brief and does not contain a detailed Experimental section.

Abstract

This application brief describes the analysis of mouthwash using XBridge Shield RP18 Column.

### Introduction

This application brief analyse various compounds including sodium saccharin, domiphen bromide, and cetylpyridinium chloride (Figure 1) using XBridge Shield RP18 Column.

Sodium Saccharin

Domiphen Bromide



Cetylpyridinium Chloride

## Experimental

#### **Test Conditions**

Columns:

XBridge Shield RP18, 4.6 x 100 mm, 3.5  $\mu m$ 

Mobile Phase A:	0.1 mM CH <sub>3</sub> COONH <sub>4</sub> , pH 5.4
Mobile Phase B:	ACN
Flow Rate:	1.2 mL/min
Injection Volume:	20 µL
Sample:	Sodium Saccharin (50 $\mu$ g/mL), Domiphen Bromide (50 $\mu$ g/mL), Cetylpyridinium chloride (10 $\mu$ g/mL) in ACN/CH <sub>3</sub> COONH <sub>4</sub> (5/95)
Column Temp:	30 °C
Sample Temp:	20 °C
Detection:	UV @ 262 nm
Sampling Rate:	5 point/sec
Filter Response:	0.2
Instrument:	Waters Alliance 2695 with 2996 PDA


186003044

Part Number:

#### Gradient:

Time	Profile	
(min)	%A	%B
0.00	95	5
2.00	85	15
7.00	5	95
8.00	5	95
9.00	95	5
12.00	95	5

## Results and Discussion



### **Featured Products**

Alliance HPLC System <a href="https://www.waters.com/534293">https://www.waters.com/534293</a>

WA60184, April 2008	

© 2021 Waters Corporation. All Rights Reserved.