

Note d'application

Analysis of Morphine and Its Polar Metabolites Using Atlantis T3 Columns

Waters Corporation



This is an Application Brief and does not contain a detailed Experimental section.

Abstract

This application brief demonstrates analysis of morphine and its polar metabolites using Atlantis T3 Columns.

Introduction

The compounds used in this study are -

1. 10-Hydroxymorphine
 2. Morphine-3 β -D-glucuronide
 3. Morphine-6 β -D-glucuronide
 4. Morphine
 5. Morphine N-oxide
 6. 6-Acetylmorphine
-

Experimental

Test Conditions

Column:	Atlantis T3, 2.1 x 50 mm, 3 μ m
Part number:	186003717
Mobile phase A:	0.1% FA in water
Mobile phase B:	ACN
Flow rate:	0.5 mL/min

Injection volume: 15 μ L

Column temperature: 45 $^{\circ}$ C

MRM:






- morphine 286 > 201
- morphine-3 β -D-glucuronide 462 > 286
- morphine-6 β -D-glucuronide 462 > 286
- morphine N-oxide 302 > 162
- 6-acetylmorphine 328 > 165
- 10-hydroxymorphine 302 > 58

Instrument: Waters ACQUITY UPLC System

Gradient

Time (min)	Profile	
	%A	%B
0.00	98	2
5.00	2	98

Results and Discussion



Featured Products

ACQUITY UPLC System <<https://www.waters.com/514207>>

WA60210, January 2009

© 2021 Waters Corporation. All Rights Reserved.