Waters™

Application Note

Hydroxyisophthalic Acid

Waters Corporation




This is an Application Brief and does not contain a detailed Experimental section.

Abstract

This application brief highlights the analysis of hydroxyisophthalic acid using XTerra Columns.

Introduction

The compound analyzed in this study is hydroxyisophthalic acid.



Hydroxyisophthalic acid

Experimental

Conditions

Column: XTerra RP $_{18}$ 4.6 x 150 mm, 5 μm

Part number: 186000492

Mobile phase: pH 3.0: H₂O/ACN/100 mM NH₄COOH, pH 3.0

60:30:10

pH 7.0: H₂O/ACN/100 mM NH₄HCO₃, pH 7.0

90:0:10

pH 10.0 $H_2O/ACN/100$ mM NH_4HCO_3 , pH 10.0

90:0:10

Flow rate: 1.0 mL/min

Injection volume: 5 μ L of 250 μ g/mL

Temperature: 30 °C

Detection: UV @ 260 nm

Instrument: Alliance 2695, 2996 PDA


Mobile Phase pH USP Tailing

3.0 1.17

7.0 1.23

10.0 1.23

Results and Discussion



Featured Products

Alliance HPLC System https://www.waters.com/534293

2998 Photodiode Array (PDA) Detector https://www.waters.com/1001362

WA20738.061, June 2002

© 2021 Waters Corporation. All Rights Reserved.